

Appl. No.: 09/729578  
Amdt Dated: December 9, 2003  
Reply to office action of September 10, 2003

**Amendments to the Claims:**

This listing of the claims will replace all prior versions, and listings, of the claims in the application.

**Listing of Claims**

Claim 1. (Currently amended) A method for extracorporeal collection of blood components from a donor/patient, comprising:

flowing blood into a blood processing vessel for continuous blood processing;

separating platelets from said blood within said blood processing vessel;

separating red blood cells from said blood within said blood processing vessel

continuously with said step of separating platelets;

removing at least some of said platelets and at least some of said red blood cells from said blood processing vessel contemporaneously; and

collecting at least a portion of said separated red blood cells in a red blood cell collection reservoir separate from said blood processing vessel, wherein said platelet separation step is completed continuously with said red blood cell separation and collection steps.

Claim 2. (Previously entered) A method as recited in Claim 1, wherein said method further comprises establishing an AC ratio of between about 6 and 16.

Appl. No.: 09/729578

Amdt Dated: December 9, 2003

Reply to office action of September 10, 2003

Claim 3. (Currently amended) A method as recited in Claim 1, ~~wherein prior to said red blood cell collection step, said method further comprises~~ for extracorporeal collection of blood components from a donor/patient, comprising:

flowing blood into a blood processing vessel for continuous blood processing;  
separating platelets from said blood within said blood processing vessel;  
separating red blood cells from said blood within said blood processing vessel  
continuously with said step of separating platelets;  
performing a red blood cell collection set-up phase including:  
establishing a packing factor of at least about 11 within separated red blood cells within  
said blood processing vessel; and  
collecting at least a portion of said separated red blood cells in a red blood cell collection  
reservoir separate from said blood processing vessel, wherein said platelet separation step is  
completed continuously with said red blood cell separation and collection steps.

Claim 4. (Previously entered) A method as recited in Claim 3, wherein said packing factor is established to be about 13 .

Claim 5. (Previously entered) A method as recited in Claim 3, wherein an AC ratio is established to be between about 6 and 16 .

Claim 6. (Previously entered) A method as recited in Claim 3, wherein an AC ratio is established to be about 8.

Claim 7. (Currently amended) A method as recited in ~~Claim 1~~ Claim 3, said set-up phase further including:

flowing separated blood components out of said blood processing vessel, wherein substantially all of said separated blood components flowing out of the blood processing vessel are accumulated for infusion to a donor/patient for at least a first volume of said blood processing vessel.

Appl. No.: 09/729578

Amdt Dated: December 9, 2003

Reply to office action of September 10, 2003

Claim 8. (Previously entered) A method as recited in Claim 7, wherein, said set-up phase of said method further comprises:

returning substantially all of said separated blood components to said donor/patient for at least two volumes of said blood processing vessel.

Claim 9. (Previously entered) A method as recited in Claim 3, wherein said blood is flowed into said blood processing vessel at a flow rate, and said establishing step of said set-up phase comprises:

reducing said flow rate.

Claim 10. (Previously entered) A method as recited in Claim 3, wherein said blood processing vessel is rotated at an rpm rate, and wherein said establishing step of said set-up phase comprises:

increasing said rpm rate.

Claim 11. (Previously entered) A method as recited in Claim 3, said establishing step of said set-up phase further comprises:

maintaining a predetermined anticoagulant infusion rate to said donor/patient.

Claim 12. (Previously entered) A method as recited in Claim 3, said establishing step of said set-up phase further comprises:

continuously removing platelets through a platelet port from said blood processing vessel.

Claim 13. (Previously entered) A method as recited in Claim 1, wherein during said platelet separation step and during said RBC separation and collection steps said method further comprises:

continuously separating plasma from said blood within said blood processing vessel;

Appl. No.: 09/729578  
Amdt Dated: December 9, 2003  
Reply to office action of September 10, 2003

continuously removing at least a portion of said separated plasma through a plasma port from said blood processing vessel.

Claim 14. (Previously entered) A method as recited in Claim 1, wherein during said platelet separation step and said red blood cell separation and collection steps, said method further comprises:

establishing a blood component interface between separating blood components within said blood processing vessel, said interface including a red blood cell component disposed in a radially outwardmost disposition, a buffy coat component including a platelet component adjacent said red blood cell component, and a plasma component disposed in a radially inwardmost disposition adjacent said buffy coat component.

Claim 15. (Previously entered) A method as recited in Claim 14, wherein said blood processing vessel further comprises:

a red blood cell outlet port for continuously removing said red blood cell component from said blood processing vessel.

Claim 16. (Previously entered) A method as recited in Claim 15, wherein said blood processing vessel further comprises a platelet outlet port for continuously removing said platelet component from said blood processing vessel.

Claim 17. (Previously entered) A method as recited in Claim 16, wherein said blood processing vessel further comprises:

a plasma outlet port for continuously removing said plasma component from said blood processing vessel.

Claim 18. (Currently amended) A method for extracorporeal collection of blood components from a donor/patient comprising:

~~removing blood from a donor/patient through a single needle;~~

Appl. No.: 09/729578  
Amdt Dated: December 9, 2003  
Reply to office action of September 10, 2003

continuously flowing said blood into a blood processing vessel;

continuously separating platelets from said blood within said blood processing vessel by flowing said platelets in a first circumferential direction;

continuously flowing at least a portion of said platelets out of said blood processing vessel through a platelet outlet line;

continuously separating red blood cells from said blood within said blood processing vessel by flowing said red blood cells in a second circumferential direction opposite to said first circumferential direction;

continuously flowing at least a portion of said separated red blood cells out of said blood processing vessel through a red blood cell outlet line wherein said platelet separation and flowing steps are completed simultaneously contemporaneously with said red blood cell separation and flowing steps;

collecting red blood cells in a red blood cell collection reservoir.

Claim 19. (Currently amended) A method as recited in Claim 18, further comprising:

continuously separating plasma from said blood within said blood processing vessel;

continuously flowing at least a portion of said plasma out of said blood processing vessel through a plasma outlet line, wherein said plasma separation and flowing steps are completed at least partially contemporaneous with said platelet separation and ~~efflowing~~ flowing steps.

Claim 20. (Previously entered) A method as recited in Claim 18, wherein prior to said red blood cell collection step, said method further comprises a red blood cell collection set-up phase including:

establishing a hematocrit of at least about 75% within said separated red blood cells within said blood processing vessel and an AC ratio within said blood at about 8.

Appl. No.: 09/729578

Amdt Dated: December 9, 2003

Reply to office action of September 10, 2003

Claim 21. (Previously entered) A method as recited in Claim 20, said method further comprising:

maintaining said hematocrit and AC ratio during said red blood cell separation, flowing and collection steps.